

## 820 Payment Order/Remittance Advice

X12/V4010/820: 820 Payment Order/Remittance Advice

Version: 1.0 Draft

Author: JR Simplot Company: JR Simplot Publication: 10/18/2024 Modified: 10/18/2024

## **Table of Contents**

820 I	Payment Order/Remittance Advice	1
ST	Transaction Set Header	3
BP	PR Beginning Segment for Payment Order/Remittance Advice	4
TR	N Trace	6
CU	JR Currency	7
RE	F Reference Identification	8
RE	F Reference Identification	ć
DT	M Date/Time Reference	10
N1	Loop Name	11
N1	Name	12
N2	Additional Name Information	13
N4	Geographic Location	14
N1	Name	15
N2	Additional Name Information	16
N3	Address Information	17
N4	Geographic Location	18
N1	Name	19
SE	Transaction Set Trailer	20

## 820

## **Payment Order/Remittance Advice**

#### Functional Group=RA

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Payment Order/Remittance Advice Transaction Set (820) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to make a payment, send a remittance advice, or make a payment and send a remittance advice.

This transaction set can be an order to a financial institution to make a payment to a payee. It can also be a remittance advice identifying the detail needed to perform cash application to the payee's accounts receivable system. The remittance advice can go directly from payer to payee, through a financial institution, or through a third party agent.

#### **Heading:**

	<u>Pos</u>	<u>ld</u>	Segment Name	Req	Max Use	Repeat	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
(	010	ST	Transaction Set Header	M	1			Must use	3
(	020	BPR	Beginning Segment for Payment Order/Remittance Advice	M	1			Must use	4
(	035	TRN	Trace	0	1		C1/035	Used	6
(	040	CUR	Currency	0	1		C1/040	Used	7
(	050	REF	Reference Identification	0	>1			Used	8
(	050	REF	Reference Identification	0	>1			Used	9
(	060	DTM	Date/Time Reference	0	>1			Used	10
	LOOP IE	<u> </u>				<u>&gt;1</u>	C1/070L		11
(	070	N1	Name	0	1			Used	12
(	080	N2	Additional Name Information	0	>1			Used	13
	100	N4	Geographic Location	0	1			Used	14
(	070	N1	Name	0	1			Used	15
(	080	N2	Additional Name Information	0	>1			Used	16
(	090	N3	Address Information	0	>1			Used	17
	100	N4	Geographic Location	0	1			Used	18
(	070	N1	Name	0	1			Used	19

#### **Summary:**

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	Repeat	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
010	SE	Transaction Set Trailer	М	1			Must use	20

#### **Comments:**

1/035 The TRN segment is used to uniquely identify a payment order/remittance advice.

1/040 The CUR segment does not initiate a foreign exchange transaction.

1/070L The N1 loop allows for name/address information for the payer and payee which would be utilized to address remittance(s) for delivery.

#### **User Note 1:**

EDI 820 Payment Order/Remittance Advice Example:

ST\*820\*0001~

 $BPR^*D^*19999.99^*C^*SWT^{**}04^*000111222^*DA^*5555555^*6667778889^{**}04^*000111222^{**}5555555^*20240101\sim 0.000111222^*DA^*5555555^*20240101000111222^*DA^*5555555^*2024010100111222^*DA^*5555555^*2024010100111222^*DA^*5555555^*2024010100111222^*DA^*5555555^*202401010111222^*DA^*5555555^*2024010111222^*DA^*5555555^*2024010111222^*DA^*5555555^*2024010111222^*DA^*55555555^*2024010111222^*DA^*55555555^*2024010111222^*DA^*5555555^*2024010111222^*DA^*5555555^*2024010111222^*DA^*5555555^*2024010111222^*DA^*5555555^*2024010111222^*DA^*5555555^*2024010111222^*DA^*5555555^*2024010111222^*DA^*5555555^*2024010111222^*DA^*555555^*2024010111222^*DA^*555555^*2024010111222^*DA^*555555^*2024010111222^*DA^*555555^*2024010111222^*DA^*555555^*2024010111222^*DA^*555555^*2024010111222^*DA^*555555^*2024010111222^*DA^*555555^*20240101122^*DA^*55555^*20240101122^*DA^*55555^*20240101122^*DA^*55555^*20240101122^*DA^*5555^*DA^*5555^*DA^*5555^*DA^*5555^*DA^*5555^*DA^*5555^*DA^*555^*DA^*555^*DA^*555^*DA^*55^*$ 

TRN\*1\*12345678~

CUR\*PR\*CAD~

REF\*TN\*12345678~

REF\*CA\*01~

DTM\*097\*20241011~

N1\*PR\*Payer Company Name~

N2\*Payer Street~

N4\*Boise\*ID\*83702\*US~

N1\*PE\*Payee Company Name~

N2\*Payee Street~

N3\*Payee Street Cont.~

N4\*Saskatoon\*SK\*S7L 2B6\*CA~

N1\*RB\*Receiving Bank Name~

SE\*16\*0001~

...

GE\*8\*111222333~

..

IEA\*1\*111222333~

## **ST** Transaction Set Header

Pos: 010 Max: 1 Heading - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	
ST01	143	Transaction Set Identifier Code	М	ID	3/3	Must use	
Description: Code uniquely identifying a Transaction Set							
Code List Summary (Total Codes: 298, Included: 1)							
		Code Name					
		820 Payment Order/Remittance Advice					
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use	

**Description:** Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

# **BPR** Beginning Segment for Payment Order/Remittance Advice

Pos: 020 Max: 1 Heading - Mandatory Loop: N/A Elements: 13

User Option (Usage): Must use

**Purpose:** To indicate the beginning of a Payment Order/Remittance Advice Transaction Set and total payment amount, or to enable related transfer of funds and/or information from payer to payee to occur

#### **Element Summary:**

<u>Ref</u> BPR01	<u>ld</u> 305	Element Name Transaction Handling Code	<u>Req</u> M	<u>Type</u> ID	Min/Max 1/2	<u>Usage</u> Must use			
ואו ועו	303	Description: Code designating the action				เขเนอเ นอย			
		Code List Summary (Total Codes: 23, Inc.  Code Name  D Make Payment Only		•	partico				
BPR02	782	Monetary Amount	М	R	1/18	Must use			
		Description: Monetary amount							
BPR03	478	Credit/Debit Flag Code	М	ID	1/1	Must use			
		Description: Code indicating whether amount is a credit or debit							
		Code List Summary (Total Codes: 2, Inclued Code Name C Credit	uded: 1)						
BPR04	591	Payment Method Code	М	ID	3/3	Must use			
		Description: Code identifying the method for the movement of payment instructions							
		Code List Summary (Total Codes: 54, Inc.  Code Name  SWT Society for Worldwide Interbank Fin		-	unications (S.	W.I.F.T.)			
BPR06	506	(DFI) ID Number Qualifier	Х	ID	2/2	Used			
		<b>Description:</b> Code identifying the type of identification number of Depository Financial Institution (DFI)							
		Code List Summary (Total Codes: 5, Incluing Code Name  O4 Canadian Bank Branch and Institution		oer					
BPR07	507	(DFI) Identification Number	Χ	AN	3/12	Used			
		Description: Depository Financial Institution	on (DFI)	identifica	ition number				
BPR08	569	Account Number Qualifier	0	ID	1/3	Used			
		<b>Description:</b> Code indicating the type of a	ccount						
		Code List Summary (Total Codes: 40, Inc	luded: 1	)					

		Code Name  DA Demand Deposit					
BPR09	508	Account Number	Χ	AN	1/35	Used	
		Description: Account number assigned					
BPR10	509	Originating Company Identifier	0	AN	10/10	Used	
		<b>Description:</b> A unique identifier designating the company initiating the funds transfer instructions. The first character is one-digit ANSI identification code designation (ICD) followed by the nine-digit identification number which may be an IRS employer identification number (EIN), data universal numbering system (DUNS), or a user assigned number; the ICD for an EIN is 1, DUNS is 3, user assigned number is 9					
BPR12	506	(DFI) ID Number Qualifier	Χ	ID	2/2	Used	
		<b>Description:</b> Code identifying the type of identification number of Depository Financial Institution (DFI)					
		Code List Summary (Total Codes: 5, Included Code Name  O4 Canadian Bank Branch and Institution	•	er			
BPR13	507	(DFI) Identification Number	Χ	AN	3/12	Used	
		Description: Depository Financial Institution	(DFI) id	dentificatio	n number		
BPR15	508	Account Number	Χ	AN	1/35	Used	
		Description: Account number assigned					
BPR16	373	Date	0	DT	8/8	Used	
		Description: Date expressed as CCYYMMD	D				

## TRN Trace

Pos: 035 Max: 1 Heading - Optional Loop: N/A Elements: 2

User Option (Usage): Used

Purpose: To uniquely identify a transaction to an application

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	
TRN01	481	Trace Type Code	М	ID	1/2	Must use	
		Description: Code identifying which transaction is being referenced					
		Code List Summary (Total Codes: 3, Inclu	uded: 1)				

Code Name

1 Current Transaction Trace Numbers

TRN02 127 Reference Identification M AN 1/30 Must use

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

## **CUR** Currency

Pos: 040 Max: 1 Heading - Optional Loop: N/A Elements: 2

User Option (Usage): Used

Purpose: To specify the currency (dollars, pounds, francs, etc.) used in a transaction

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>			
CUR01	98	Entity Identifier Code	М	ID	2/3	Must use			
		<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual							
		Code List Summary (Total Codes: 1312, I	ncluded	: 1)					
		Code Name							
		PR Payer							
CUR02	100	Currency Code	М	ID	3/3	Must use			

Description: Code (Standard ISO) for country in whose currency the charges are specified

#### **Comments:**

1. See Figures Appendix for examples detailing the use of the CUR segment.

## **REF** Reference Identification

Pos: 050 Max: >1 Heading - Optional Loop: N/A Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>				
REF01	128	Reference Identification Qualifier	М	ID	2/3	Must use				
		Description: Code qualifying the Reference Identification								
		Code List Summary (Total Codes: 1503,	Included	: 1)						
		Code Name								
		TN Transaction Reference Number								
REF02	127	Reference Identification	Х	AN	1/30	Used				

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

## **REF** Reference Identification

Pos: 050 Max: >1 Heading - Optional Loop: N/A Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>				
REF01	128	Reference Identification Qualifier	М	ID	2/3	Must use				
		Description: Code qualifying the Reference Identification								
		Code List Summary (Total Codes: 1503, I	ncluded	: 1)						
		Code Name								
		CA Cost Allocation Reference								
REF02	127	Reference Identification	X	AN	1/30	Used				

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

## **DTM** Date/Time Reference

Pos: 060 Max: >1 Heading - Optional Loop: N/A Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

**Element Summary:** 

 Ref
 Id
 Element Name
 Req
 Type
 Min/Max
 Usage

 DTM01
 374
 Date/Time Qualifier
 M
 ID
 3/3
 Must use

Description: Code specifying type of date or time, or both date and time

Code List Summary (Total Codes: 1112, Included: 1)

Code Name

097 Transaction Creation

DTM02 373 **Date** X DT 8/8 Used

**Description:** Date expressed as CCYYMMDD

## **Loop Name**

Pos: 070 Repeat: >1 Optional

Loop: N1 Elements: N/A

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

#### **Loop Summary:**

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Usage</u>
070	N1	Name	0	1		Used
080	N2	Additional Name Information	0	>1		Used
100	N4	Geographic Location	0	1		Used
070	N1	Name	0	1		Used
080	N2	Additional Name Information	0	>1		Used
090	N3	Address Information	0	>1		Used
100	N4	Geographic Location	0	1		Used
070	N1	Name	0	1		Used

## N1 Name

Pos: 070 Max: 1 Heading - Optional Loop: N1 Elements: 2

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

#### **Element Summary:**

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>		
N101	98	Entity Identifier Code	М	ID	2/3	Must use		
		<b>Description:</b> Code identifying an organizati individual	onal en	tity, a phy	ysical location,	property or an		
		Code List Summary (Total Codes: 1312, Included: 1)						
		Code Name						
		PR Payer						
N102	93	Name	Х	AN	1/60	Used		

**Description:** Free-form name

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

## **N2** Additional Name Information

Pos: 080 Max: >1 Heading - Optional Loop: N1 Elements: 1

User Option (Usage): Used

Purpose: To specify additional names or those longer than 35 characters in length

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
N201	93	Name	М	AN	1/60	Must use

**Description:** Free-form name

## **N4** Geographic Location

Pos: 100 Max: 1 Heading - Optional Loop: N1 Elements: 4

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

#### **Element Summary:**

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
N401	19	City Name	0	AN	2/30	Used
		<b>Description:</b> Free-form text for city name				
N402	156	State or Province Code	0	ID	2/2	Used
		<b>Description:</b> Code (Standard State/Province agency	e) as de	efined by	appropriate go	vernment
N403	116	Postal Code	0	ID	3/15	Used
		<b>Description:</b> Code defining international poblanks (zip code for United States)	stal zon	e code e	xcluding punct	uation and
N404	26	Country Code	0	ID	2/3	Used
		<b>Description:</b> Code identifying the country				

- 1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
- 2. N402 is required only if city name (N401) is in the U.S. or Canada.

## N1 Name

Pos: 070 Max: 1 Heading - Optional Loop: N1 Elements: 2

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

#### **Element Summary:**

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
N101	98	Entity Identifier Code	М	ID	2/3	Must use
		<b>Description:</b> Code identifying an organizat individual	ional en	tity, a phy	ysical location,	property or an
		Code List Summary (Total Codes: 1312, In	ncluded	: 1)		
		Code Name				
		PE Payee				
N102	93	Name	Х	AN	1/60	Used

**Description:** Free-form name

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

## **N2** Additional Name Information

Pos: 080 Max: >1 Heading - Optional Loop: N1 Elements: 1

User Option (Usage): Used

Purpose: To specify additional names or those longer than 35 characters in length

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
N201	93	Name	M	AN	1/60	Must use

**Description:** Free-form name

## **N3** Address Information

Pos: 090 Max: >1 Heading - Optional Loop: N1 Elements: 1

User Option (Usage): Used

Purpose: To specify the location of the named party

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use

**Description:** Address information

## **N4** Geographic Location

Pos: 100 Max: 1 Heading - Optional Loop: N1 Elements: 4

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

#### **Element Summary:**

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
N401	19	City Name	0	AN	2/30	Used
		<b>Description:</b> Free-form text for city name				
N402	156	State or Province Code	0	ID	2/2	Used
		<b>Description:</b> Code (Standard State/Province agency	e) as de	efined by	appropriate go	vernment
N403	116	Postal Code	0	ID	3/15	Used
		<b>Description:</b> Code defining international poblanks (zip code for United States)	stal zon	e code e	xcluding punct	uation and
N404	26	Country Code	0	ID	2/3	Used
		<b>Description:</b> Code identifying the country				

- 1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
- 2. N402 is required only if city name (N401) is in the U.S. or Canada.

## N1 Name

Pos: 070 Max: 1 Heading - Optional Loop: N1 Elements: 2

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	<b>Type</b>	Min/Max	<u>Usage</u>
N101	98	Entity Identifier Code	М	ID	2/3	Must use
		<b>Description:</b> Code identifying an organization individual	tional en	tity, a ph	ysical location,	property or an
		Code List Summary (Total Codes: 1312, I	ncluded	: 1)		
		Code Name				
		RB Receiving Bank				
N102	93	Name	Χ	AN	1/60	Used

**Description:** Free-form name

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

## **SE** Transaction Set Trailer

Pos: 010 Max: 1 Summary - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

#### **Element Summary:**

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use
		<b>Description:</b> Total number of segments income segments	cluded ir	a transa	action set includ	ding ST and SE
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use
<b>Description:</b> Identifying control number that must be unifunctional group assigned by the originator for a transact						nsaction set

#### **Comments:**

1. SE is the last segment of each transaction set.