Simplot

TechPack®

PIGMENT ERASER II

PROFESSIONAL STRENGTH

Pigment Eraser will clean most stains and residues, including pigments, spray pattern indicators, soap scum, oil, and many other stains on most surfaces.

This new foaming formulation is ready to use without dilution and comes with a convenient trigger sprayer.

1 Qt. (0.95 Liters)

KEEP OUT OF REACH OF CHILDREN

DANGER

CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.
PRECAUTIONARY STATEMENTS: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist / spray. Wash hands, forearms, and face thoroughly after handling. If exposed or concerned, get medical attention. For specific treatment see supplemental First Aid instruction on this label.
PERSONAL PROTECTIVE EQUIPMENT: Wear protective gloves / protective clothing / eye protection / face protection. Wash contaminated clothing before reuse.
FIRST AID: Immediately call a poison center / doctor. **IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting. **IF ON SKIN (OR HAIR):** Take off immediately all contaminated clothing. Rinse skin with water / shower. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
STORAGE AND DISPOSAL: STORAGE Store locked up. DISPOSAL Dispose of contents / container in accordance with local / regional / national regulations.

J. R. Simplot Company | P.O. Box 198, Lathrop, CA 95330 | www.simplot.com

GENERAL INFORMATION

Pigment Eraser II is a ready-to-use foaming cleaner that will remove most stains and residues, including many pigments (Ambient®, Ambient® Plus, Lumen®), spray pattern indicators, soap scum, oil, and many other stains on most surfaces. The product is ready to use without dilution.

100% Biodegradable

Non-flammable

Typical surfaces that can be cleaned:

- Spray tanks; wheel wells, booms, plastic wheel hubs, plastic exterior
- Tile and grout
- Pool furniture
- Pool decks
- Yardage markers
- Swimming pool vinyl lining
- Irrigation heads
- Composition tennis courts
- Tee markers
- Concrete
- Cart paths
- Stone
- Golf carts
- Stainless steel
- Plaques
- Masonry
- Statues
- Porcelain
- Wooden benches
- Ceramic and quarry tile

NOTE: Not to be use on marble, soft stone, granite, or unfinished aluminum.

TechPack®, Ambient®, Lumen®, and Simplot® are registered trademarks of the J.R. Simplot Company.

Directions for use:

Read and follow all precautionary statements located on the front outer label. Always wear protective gloves, protective clothing, eye protection / face protection.

- Lightly wet the surface to be cleaned with water. Using warm water will improve the cleaning action of the detergent.
- Spray the foaming cleaner liberally onto the surface to be cleaned.
- Allow the cleaner to contact surface for at least 5 minutes prior to rinsing off.
- Wipe and/or scrub with a scrub pad or stiff bristled brush.
- Rinse off surface with water.

Use Pigment Eraser II often to prevent excessive build up of stains on surfaces.